UP version v3.1 - List of actions at 25-09-2023

addclass adds a class to a CSS selector (default body) **addcodehead** adds free code to the head. **addcsshead** adds CSS code or files to the head. **addfilehead** Add JS or CSS files in the head **addscript** adds code or file JS or JQuery **ajax_view** Displays a button to load the content of an article or a file **anim_aos** displays content with animations on page scroll (library in pure JS) **attr** Adds attributes to the first internal tag **barcode** Generates BarCode from TCPDF library. **bbcode** Enter HTML code with a WYSIWYG editor **bg_image** Displays an image in the background of a block **bg_slideshow** Displays a series of scrolling images in the background of the site or one block **bg_video** Displays a youtube or local video in the site background or a block **box** displays a box with a title, subtitle, image, content and action **cache_cleaner** Clears cache files **cell** displays 1 to 6 child blocks on the same line **center** Center all child blocks by removing unnecessary margins **chart** Statistical graphs with GoogleChart **chart_org** Shows an organization's graph **clocks_gmt** Displays an analog and/or digital clock with the time of a time zone **color** Returns the color value of an UP colorname **corner** Displays text on a ribbon or corner **countdown** displays a countdown or digital clock **countdown_simple** Displays a simple and easily adaptable countdown timer **counter** Add a counter with prefix and suffix **csv2def** Converting CSV content into a definition list (DL/DT/DD) **csv2list** Converting CSV content into a list with a control point **csv2table** Converting CSV content into a table **csv_info** Returns the raw value of an element (row/column) of CSV file **data2list** Displays the content of a JSON or XML file as a list **data2table** Displays the contents of a JSON, XML ou CSV file as a table **data_info** Returns fields from a data source according to a formatting template **date** displays a date **div** Facilitates the entry of an inline DIV block with a wysiwyg editor **donation** Donation form with Paypal **facebook_timeline** displays the Facebook timeline **faq** an accordion **field** Returns the value of a custom field for the current content **file** Force the download of a file **file_download** Simple download manager with stats and password protection **file_in_content** Uses all files in a folder to build an article **file_office_view** Displays an MS Office file (word, excel, powerpoint) **file_view** Forces a file to load and display it in raw form **filter** displays the content if all conditions are true **flexauto** a responsive grid on several columns **flexbox** displays child blocks in a responsive FLEXBOX grid **folder_list** returns a formatted list of the contents of a folder on the server **form_select** drop-down box **gmap** displays a google map for an address **googlefont** adds a GoogleFont font, as well as a class to use it **gotop** Displays a button with position indicator to return to the top of the page. **hr** displays a horizontal line with an icon and/or text **html** allows you to create an HTML entity (tag) with class(es), style and attribute without switching to mode code **icon** standardizes the call of icons. Avoids switching to code mode for entry **iframe** introduce a responsive iframe in an article **image_compare** comparison of 2 images by moving a cursor **image_gallery** Displays one or more images in a lightbox **image_hover** Overlay HTML content on an image with effects on hover **image_logo** Add an image or text on an image **image_magnify** displays a magnifying glass effect on an image **image_pannellum** Displays a 3D panorama from an equirectangular image **image_random** Randomly display one of the images in a folder **image_rollover** Change the image on hovering **image_secure** Prevent image saving **imagemap** a clickable and responsive imagemap **jcat_image** Displays an image related to the category of the current item **jcategories_by_tags** list of articles in one or more category **jcategories_list** list of descending categories. The parent category is not displayed **jcontent_by_categories** list of articles in one or more category **jcontent_by_subcat** list of articles by one or more category **jcontent_by_tags** list of articles in one or more category **jcontent_in_content** ONE article in an other article **jcontent_info** Displays information about the current article **jcontent_list** list of articles in one or more category **jcontent_metadata** for metadata control **jextensions_list** list of extensions installed on the site **jmenus_list** menu list **jmodules_list** list of modules on the site **kawa** Serves as a virtual coffee **lang** Choice of content according to visitor language **link** Displays a link to an URL or email **listup** Customize simple and/or ordered lists **lorem** Displays random text (style possible) **lorem_flickr** displays a random image **lorem_unsplash** displays a random image **mapael** Shows an interactive vector map **markdown** Displays MARKDOWN content from a file or entered between shortcodes **marquee** HTML content scrolling horizontally or vertically **masonry** Displays blocks in a fluid and responsive grid **media_plyr** displays a video or audio player that fits at most in its parent block **media_video** displays a local video in HTML5 **media_vimeo** displays a Viméo video which is maximally in its parent block **media_youtube** displays a Youtube video that is registered at the maximum in its parent block **meteo_concept** Returns the weather forecast for a given date for a FRENCH given city **meteo_france** displays the Météo France widget **modal** Displays content in a modal window (popup) **note** Adding comments visible in WYSIWYG editor and not on the website **osmap** displays an OpenStreetMap map **page_search** Search for a word in the current page **pdf** Displays a PDF in the content or generates a button to display it in a window **pdf_gallery** Displays a list of PDFs contained in a folder **php** allows you to execute PHP code in an article. **php_error** Enable PHP error reports **popover** Displays a big tooltip when clicking an element. **popup** Opens a popup after a delay or a position in the page **printer** Add a button to propose the printing of part of the page **qrcode** Generates QRCodes with Google API **random** selects one or more values from a list or folder **readmore** display/hide an HTML block using an accordion and 'read more' button **sameheight** equalizes the height of the direct children of the block (p or div) **scroll_indicator** Affiche la position dans la page dans un cercle autour du curseur **scroller** Vertical scrolling of an item list **site_stat** counts the number of calls for this action and displays the number of visits **site_visit** counts the number of visit for a page **sitemap** Creation of a 'sitemap.xml' file in the root website **slider_owl** scrolling banner of images or HTML blocks **slideshow_billboard** Responsive images slideshow with captions and links **snippet** create and load small text files (snippet) **snowfall** Simulates snowfall or other events... **sound_hover** Plays a sound when flying over an element or event JS **span** Facilitates the entry of an inline SPAN block with a wysiwyg editor **sql** SQL query with formatting and sorting **tab** displays content in panels with tabs at the top, left or right. Responsive mode **table_by_columns** responsive tables by stacking the rows of a column. **table_by_rows** responsive tables by stacking columns by rows. **table_fixe** responsible tables: header line remains visible **table_flip** responsive tables by row/column permutation **table_sort** Sorting, filtering and paging a table **tabslide** add tabs to open a panel at window sides **text_fit** Adjusts a text to its container **text_typewriter** Display several sentences with a typewriter effect **toc** Automatic Summary **tooltip** tooltips when hovering over an item **treeview** Displays a list as a tree (TreeView) **tweeter_timeline** displays the timeline Tweeter **upactionslist** INTERNAL - list of UP actions with information and parameters **upbtn_makefile** creation of HTML files for the editors-xtd plugin **upprefset** Displays a list of all UP presets for the site. **upscsscompiler** INTERNAL - Compile all SCSS files in the action folders **upsearch** Research an action in the content of articles and / or modules (params) **website** Displays a screenshot of a site with link. **website_preview** Displays a preview of the site when hovering over a link